## Contents

Letters to the Editor		Erratum: The HI-properties of bright southern galaxies Becker, R., Mebold, U., Reif, K., van Woerden, H.	402
The strength of NIII-CIII complex emission in low-mass X-ray binaries as a possible indicator of metallicity Motch, C., Pakull, M.W.	L1	Galactic structure and dynamics	402
Photometry of AS 296 in outbursts: a puzzling color evolution		Liouville's equation. II. Eigenmodes of harmonic potentials	
Munari, U., Buson, L.M., Massone, G.	L5	Sobouti, Y.	83
Cosmology		Liouville's equation. III. Symmetries of the linearized equation  Sobouti, Y., Samimi, J.	92
(RN) Possible gravitational amplification in the binary pul-		Asymmetrical barred galaxies	12
sar 1957+20 Schneider, J.	1	Colin, J., Athanassoula, E.	99
Extragalactic astronomy		Stellar clusters and associations	
Gravitational micro-lensing due to an ensemble of compact objects with different masses		Studies of dynamical properties of globular clusters. V. Implications of the observed flat MS mass function in 47 Tu-	
Kayser, R., Weiss, A., Refsdal, S, Schneider, P.	4	canae Meylan, G.	106
Synchrotron emission spectra from shockwaves in active			100
galactic nuclei: an energy and space dependent diffusion coefficient		The X-ray source in the core of 47 Tucanae Aurière, M., Koch-Miramond, L., Ortolani, S.	113
Fritz, K.D.	14	Formation, structure and evolution of stars	
<ul> <li>(RN) Millimeter continuum observations of the active star-forming core of M82         Thronson, H.A., Jr., Walker, C.K., Walker, C.E., Maloney, P.     </li> <li>Neutral hydrogen observations of the irregular galaxy</li> </ul>	29	A photometric study of F-type stars of high galactic latitude  Arellano Ferro, A., Giridhar, S., Chavez, M.,  Parrao, L.	123
IC 10		Photographic and spectroscopic observations of three type	
Shostak, G.S., Skillman, E.D.	33	Ia supernovae: 1982W, 1983R, and 1983U	
The statistical properties of gravitational lenses of galaxies		Barbon, R., Ciatti, F., Iijima, T., Rosino, L.	131
and quasars  Xiangping Wu	43	Near-infrared survey of IRAS sources with colours like planetary nebulae	
Observable parameters of spiral galaxies and galactic magnetic fields		Manchado, A., Pottasch, S.R., García-Lario, P., Esteban, C., Mampaso, A.	139
Starchenko, S.V., Shukurov, A.M.	47	Constraints on the optical counterpart of GBS 0526-66	
The peculiar kinematics of the elliptical dust-lane galaxy NGC 4589		Boer, M., Hurley, K., Gottardi, M., Motch, C., Pedersen, H., Simonsen, R.L.	148
Möllenhoff, C., Bender, R.	61	Effects of stellar rotation on the Geneva photometric sys-	
Distribution and luminosity function of OB stars in M31 Berkhuijsen, E.M., Humphreys, R.M.	68	tem Hauck, B., Slettebak, A.	153
(RN) The influence of relativistic kinematics on the asymmetry of spectral line profiles and the observed asymme-		Carbon abundance in the primaries of six Algol-type stars Cugier, H.	168
tries in AGN's  Mediavilla, E., Insertis, F.M.	79	Soft X-ray observations of the Vela pulsar PSR 0833-45 Ögelmann, H., Zimmermann, HU.	179

14			
Evolution of close binary systems that undergo a dynamically stable late case C mass transfer  Pastetter, L., Ritter, H.	186	The distribution of hot thermal methanol in Orion-KL Wilson, T.L., Johnston, K.J., Henkel, C., Menten, K.M.	321
The X-ray ephemeris of Cygnus X-3 van der Klis, M., Bonnet-Bidaud, J.M.	203	Potential of grains in astrophysical media: influence of the surface state (porosity)	
<ul> <li>Multiple close frequencies of the Delta Scuti star θ<sup>2</sup> Tauri.</li> <li>II. The second multisite campaign</li> <li>Breger, M., Garrido, R., Huang Lin, Jiang Shi-yang,</li> </ul>		Millet, J., Lafon, JP.J., Gonin, J.C.  (RN) CN 1-1: a bipolar type I planetary nebula  Bhatt, H.C.	327
Guo Zi-he, Frueh, M., Paparo, M.	209	Strong magnetic fields in interstellar H <sub>2</sub> O maser clumps Fiebig, D., Güsten, R.	333
Stellar atmospheres		The relative importance of collisional and chemical pump-	555
Investigation of micro-flaring and secular and quasi- periodic variations in the dMe flare stars. II. "Time signa-		ing and radiative transfer effects in cosmic OH sources Piehler, G., Kegel, W.H.	339
tures" of micro-variability in V 1285 Aquilae, V 645 Centauri, V 1054 Ophiuchi and AU Microscopii Andrews, A.D.	220	The gas-to-dust ratio and the molecular hydrogen content in galactic cirrus clouds  Heithausen, A., Mebold, U.	347
Rotational modulation and flares on RS Canum Vena- ticorum and BY Draconis stars. XII. Near-to-simulta- neous high resolution UV and optical observations of II Pegasi during July 1984		High resolution spectroscopy of the planetary nebula Hubble 12  Miranda, L.F., Solf, J.	353
Byrne, P.B., Panagi, P., Doyle, J.G.,		The Sun	
Englebrecht, C.A., McMahan, R., Marang, F., Wegner, G.	227	A twisted flux model for solar prominences. II. Formation	
Oxygen in old and thick disk stars Barbuy, B., Erdelyi-Mendes, M.	239	of a dip in a magnetic structure before the formation of a solar prominence	
An abundance analysis of the Hyades giant γ Tauri: an exercise in caution  Griffin, R.E.M., Holweger, H.	249	Démoulin, P., Priest, E.R.  Energy storage in solar loops by footpoint motions  Zappalà, R.A., Zuccarello, F.	369
An estimate of the total chromospheric, transition region	212		
and coronal radiative losses in late-type stars Doyle, J.G.	258	The solar system  CN shall structures and dynamics of the angless of comet	
Observations of modulation and phase displacement of the stellar wind in six red giant spectroscopic binaries		CN-shell structures and dynamics of the nucleus of comet P/Halley Schulz, R., Schlosser, W.	375
Reimers, D., Schröder, KP.	261	(RN) Polarimetry of comet Bradfield (1987s)	386
Excitation of HCN hyperfine lines in circumstellar enve- lopes: redshift and molecular abundance Truong-Bach, Nguyen-Q-Rieu	267	Kikuchi, S., Mikami, Y., Mukai, T., Mukai, S.  (RN) Rotational variations in the optical polarization of 4 Vesta	
Polarization characteristics of galactic B[e] stars		Broglia, P., Manara, A.	389
Zickgraf, FJ., Schulte-Ladbeck, R.E.	274	Relations involving the spherical albedo and other photo-	
Long-term and mid-term spectroscopic variations of the Be-shell star HD 184279 (V 1294 Aquilae). II. Towards a model		metric quantities of planets with thick atmospheres Hovenier, J.W., Hage, J.I.	391
Ballereau, D., Chauville, J.	285	Celestial mechanics and astrometry	
Search for cool giant companions of the Be stars $\zeta$ Taurand KX Andromedae	i	Fundamental frequencies and small divisors in the orbit	S
Floquet, M., Hubert, A.M., Maillard, J.P., Chawille, J., Chatzichristou, H.	295	of the outer planets Nobili, A.M., Milani, A., Carpino, M.	31.
Diffuse matter in space (including HII regions and planetary nebulae)	у	* This paper by Nobili et al. is not to be found in this issue	

304

307

(RN) Elemental depletions in single interstellar clouds

Infrared spectroscopy of supernova remnants Oliva, E., Moorwood, A.F.M., Danziger, I.J.

Niedzielski, A., Krelowski, J.

<sup>\*</sup> This paper by Nobili et al. is not to be found in this issue but in Vol. 210 No. 1/2 (February I, 1989) where it was erroneously placed in Section 8 ("Diffuse matter in space") instead of Section 11 ("Celestial mechanics"). The title is listed again here in order to draw the reader's attention to this error and to obviate any difficulties in locating this paper.

